

5/2019 www.alcaplast.com



NEW

Flush plates THIN M67x and M77x Shower drain APZ13-DOUBLE9 Fit and Go Pre-wall installation systems with top or front actuation AM118, AM119

Alca PLAST®

CONTENT

2





FLUSH PLATES THIN M67x, M77x 4 Touch-free and sensor flush plates for pre-wall installation systems Slim. 7	
SHOWER DRAIN APZ13-DOUBLE9 FIT AND GO	Fit and Go
EXTENSION OF BLACK-MATT PROGRAM	

PRE-WALL INSTALLATION SYSTEMS WITH TOP OR FRONT ACTUATION AM118, AM119......14







NEW PRODUCTS PRICE LIST 19





INFO

Entrepreneurs of the year are heading to represent Czech Republic in Monte Carlo

The victory in the most prestigious international competition EY Entrepreneur of year 2018 is heading into our company. The owners of Alcaplast company became the best entrepreneurs of the year in the Czech Republic. In June they are going to Monte Carlo, which will host the world final. The competition was established by Ernst & Young company in the USA in 1986.



2018 Award Winner





Refined style – flush plates THIN M67x and M77x

The flush plate is the only visual element of the sophisticated installation system, which you can see on the toilet. Therefore it deserves your attention. We emphasize the timeless design, which determines the appearance of the toilet. The perfect operation and easy installation is a matter of course. Thanks to its flat profile stand out only five millimeters above the tiles. Two new series of flush plates with round design complement the square shapes of the previous range. It's only up to you to choose the right ring color.



- Thin profile of just 5 mm
- **■** Timeless design
- 5 colour variations
- They are 100% compatible with all Alcaplast pre-wall installation systems







M670 White



M671 Chrome-polished



M672 Chrome-matt



M678 Black-matt



M675 Gold



M770 White/chrome-polished



M771
Chrome-polished/chrome-



M772 Chrome-matt/chromepolished



M778
Black-matt/chrome-polished




M775 White/gold

NEW

M670


Flush plate for pre-wall installation systems, white



Quantity (packing) M670	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3439 kg
EAN	8595580562663

M672


Flush plate for pre-wall installation systems, chrome-matt



Quantity (packing) M672	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3439 kg
EAN	8595580562687

M678


Flush plate for pre-wall installation systems, black-matt



Quantity (packing) M678	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3368 kg
EAN	8595580562700

M671


Flush plate for pre-wall installation systems, chrome-polished



Quantity (packing) M671	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3368 kg
EAN	8505580562670

M675

Flush plate for pre-wall installation systems, gold




Quantity (packing) M675	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3368 kg
EAN	8595580562694

NEW

M770


Flush plate for pre-wall installation systems, white/chrome-polished



Quantity (packing) M770	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3435 kg
EAN	8595580562618

M772


Flush plate for pre-wall installation systems, chrome-matt/chrome-polished



Quantity (packing) M772	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3364 kg
EAN	8595580562632

M778


Flush plate for pre-wall installation systems, black-matt/chrome-polished



Quantity (packing) M778	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3364 kg
EAN	8595580562656

M771


Flush plate for pre-wall installation systems, chrome-polished/chrome-matt



Quantity (packing) M771	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3364 kg
EAN	8595580562625

M775

Flush plate for pre-wall installation systems, white/gold



Quantity (packing) M775	25 pcs
Dimensions (piece)	250×170×36 mm
Weight (piece)	0.3435 kg
EAN	8595580562649

Alca PLAST®

NEW

Touch-free and sensor flush plates for pre-wall installation systems Slim

You can now use the touch-free flush plates **NIGHT LIGHT** and **sensor flush plates** also on the pre-wall installation systems Slim AM1112 Basicmodul Slim, AM1115/1000 Renovmodul Slim and AM1101/1200 Sádromodul Slim.





M279S-SLIM
Metal (AC power supply)



M370S-SLIM
White (AC power supply)



NIGHT LIGHT-1-SLIM Glass-black



NIGHT LIGHT-3-SLIM
Glass-black



M371S-SLIM
Chrome-polished (AC power supply)



NIGHT LIGHT-2-SLIM Glass-black



AM1112 Basicmodul Slim Wall concealed WC cistern



AM1115/1000 Renovmodul Slim
Pre-wall installation system for building
into solid walls



AM1101/1200 Sádromodul Slim Pre-wall installation system for dry build up (plasterboard)


SYSTEMS SLIM

In small spaces, concrete panel housing units, plasterboard partitions or reconstructions. Slim systems have a thickness **only 84 mm**, so you can save space and easily realize even a small bathroom or toilet.



M279S-SLIM


Flush plate Antivandal with sensor for pre-wall installation systems Slim, metal (AC power supply)



Quantity (packing) M279S-SLIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	2.144 kg
EAN	8595580563394

M371S-SLIM


Flush plate with sensor for pre-wall installation systems Slim, chrome-polished (AC power supply)



Quantity (packing) M371S-SLIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	1.9247 kg
EAN	8595580563400

NIGHT LIGHT-2-SLIM


Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black



Quantity (packing) NIGHT LIGHT-2-3LIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	2.5502 kg
EAN	8595580563431

M370S-SLIM


Flush plate with sensor for pre-wall installation systems Slim, white (AC power supply)



Quantity (packing) M370S-SLIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	1.9267 kg
EAN	8595580563417

NIGHT LIGHT-1-SLIM


Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black



Quantity (packing) NIGHT LIGHT-1-SLIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	2.5502 kg
EAN	8595580563448

NIGHT LIGHT-3-SLIM

Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black



Quantity (packing) NIGHT LIGHT-3-SLIM	8 pcs
Dimensions (piece)	580×185×100 mm
Weight (piece)	2.5502 kg
EAN	8595580563424

APZ13 Fit and Go

All in one package. Shower drain APZ13 with two-sided grid DOUBLE

Set APZ13 Fit and Go includes shower drain, low odour trap APZ-S9 (81 mm) and new two-sided grid DOUBLE. Fit and Go provides solutions for fast and easy installation.






CHOOSE YOUR DESIGN

TWO-SIDED GRID DOUBLE

The grid DOUBLE gives the choice – either full stainless steel grid in the design SPACE or by simple rotating the grid INSERT for embedding tiles.

The final decision can be made even after installation of the shower drain without any construction modifications. Two-sided grid DOUBLE offers both grid versions in one.






9

APZ13-DOUBLE9 Fit and Go

Shower drain (750, 850, 950 mm)









Package content

- Linear shower drain
- Two-sided grid DOUBLE (full grid or grid for tile embedding
- Waterproof tape at the length of the linear drain
- Low odour trap APZ-S9
- Anchoring kit (screws, dowels)
- Installation legs
- Dismantling hook



Quantity (packing) APZ13-DOUBLE9-750	30 pc
Dimensions (piece)	×× mm
Weight (piece)	3.1385 kg
EAN	8595580562724

DOUBLE

Stainless steel-matt / Grid for embedding tiles The grid is included



P144

Combined odour trap for APZ-S9 for drain APZ13



10


NEW


Combined odour traps P143, P144 and P145

Among optional accessories for stainless steel shower drains you can also find the new combined odour traps for shower drains APZ13. For use in the premises, where is expected low utilization of the linear shower drain and thus risk of drying out of the water trap, such as recreation facilities, utility rooms, premises with seasonal use.

Combined odour traps P143, P144, P145 can be also used for stainless steel floor drains APV110, APV12 and APV130.








If water does not flow through the waste, the flaps are closed and even when drying off the water trap they prevent odours passing from the sewer. When water flows in, the flaps open and allow the water to drain out.


P143 Combined odour trap for APZ-S6 for drain APZ13



1 pc
51×51×36 mm
0.0342 kg
8595580562298

P144

Combined odour trap for APZ-S9 for drain APZ13



Quantity (packing) P144	1 pc
Dimensions (piece)	51×51×44,5 mm
Weight (piece)	0.0402 kg
EAN	8595580562304

P145

Combined odour trap for APZ-S12 for drain APZ13



Quantity (packing) P145	1 pc
Dimensions (piece)	51×51×70 mm
Weight (piece)	0.0472 kg
ΕΔN	8505580562311



Extension of black-matt program

You can now revive your bathroom with more products in black-matt finish. There is a new shower waste and trap A49BLACK in our offer.







APZ1BLACK

Shower drain with an edge for perforated grids, black-matt

APZ101BLACK

Shower drain with an edge for perforated grids, black-matt

PURE BLACK

Grid for shower drain, black-matt



M278

Flush plate for pre-wall installation systems, black-matt



M578

Flush plate for pre-wall installation systems, black-matt



A49BLACK

Shower waste and trap, black-matt



A465BLACK-50

Shower waste and trap CLICK/CLACK, black-matt



A55BLACK

Bath pop-up waste and trap, black-matt



A507BLACK

Bath CLICK/CLACK waste and trap, black-matt



A564BLACK

Bath pop-up waste and trap, with overflow filler, black-matt



A400BLACK

Wash-basin trap DESIGN DN32, black-matt



A4000BLACK

Extension piece DN32, blackmatt



A4320BLACK

Wash-basin trap "U" DN32, with coupling nut 5/4", black-matt



ARV001-BLACK

Angle valve with a filter 1/2"×3/8", black-matt



A392BLACK

Wash-basin CLICK/CLACK waste 5/4", metal with overflow, big black plug



A49BLACK

Shower waste and trap, black-matt



Quantity (packing) A49BLACK	24 pcs
Dimensions (piece)	150×110×140 mm
Weight (piece)	0.4209 kg
EAN	8595580563455

Pre-wall installation systems ALCA with top or front actuation AM118 Sádromodul, AM119 Renovmodul

You need to place the toilet in the attic with a sloping roof or the window sill hinders you? Pre-wall installation system with top or front actuation is a solution for such a situation. The flush plate is simply placed in thehorizontal position.



Pre-wall installation systems with top or front actuation AM118 Sádromodul, AM119 Renovmodul





SPACE SAVING SOLUTION

Top actuation elegantly solves the problem of WC modules with low building height where the open WC seat cover can overlap the flush plate.

WC modules AM118 and AM119 are available in two construction heights of 850 or **1000 mm**. We offer the systems AM119 for building into solid walls and AM118 for dry build up.





COMFORT

INNOVATIVE CONNECTION OF WATER SUPPLY

Alcaplast construction team has prepared for you another innovation of the water connection to the cistern without additional construction work. You can easily and quickly install any water pipe system while maintaining the minimal installation depth of 170 mm.



100% COMPATIBILITY OF FLUSH PLATES

Modules with the top or front actuation are fully compatible with all flush plates ALCA. When the flush plate is placed in the


horizontal position you even more appreciate the thin profile of models FLAT or THIN.



16

AM118/1000 Sádromodul

Pre-wall installation system for dry build up (plasterboard) with top or front actuation






Quantity (packing) AM118/1000	1 pc
Dimensions (piece)	998×526×178 mm
Weight (piece)	12.2668 kg
EAN	8505580550823

FROM 7/2019

AM118/850 Sádromodul

Pre-wall installation system for dry build up (plasterboard) with top or front actuation




Quantity (packing) AM118/850	1 pc
Dimensions (piece)	– mm
Weight (piece)	12.012 kg
EAN	8595580559830



FROM 7/2019

AM119/1000 Renovmodul

Pre-wall installation system for building into solid walls with top or front actuation




Quantity (packing) AM119/1000	1 pc
Dimensions (piece)	1040×465×180 mm
Weight (piece)	9.2355 kg
FΔN	8595580559847



FROM 7/2019

AM119/850 Renovmodul

Pre-wall installation system for building into solid walls with top or front actuation



Quantity (packing) AM119/1000		
Dimensions (piece)	1040×465×180 mm	
Weight (piece)	9.0889 kg	
FΔN	8595580563387	



FROM 7/2019

INNOVATION

18

Innovation of pre-wall installation systems and flush plates





FAST AND ACCURATE INSTALLATION, SAVING TIME AND THE CORRECT SETTINGS

TEMPLATE FOR CORRECT FLUSH PLATE SETUP P146

The new template that is included in the flush plate packaging, will greatly assist in setting the flush mechanism screws to achieve the perfect functioning of flush plate.

The template will be available as a spare part.





USER COMFORT

FLUSHING MECHANISM SCREWS INCLUDED IN FLUSH PLATES PACKAGING

Installing the flush plate on pre-wall installation system is the final step in the installation. For this reason we have included the new flushing mechanism screws into the flush plates packaging to eliminate the possibility of loss during the installation works on the construction site.

In case of older inventory we send on request the missing flushing mechanism screws free of charge.

FLUSHING MECHANISM SCREWS

to 3/2019

4/2019-4/2020

from 5/2020

INCLUDED IN PRE-WALL INSTALLATION SYSTEMS PACKAGING



INCLUDED IN PRE-WALL INSTALLATION SYSTEMS AND FLUSH PLATE PACKAGING.









INDEX

Code	Picture	EAN	Description
A49BLACK		8595580563455	Shower waste and trap, black-matt
AM118/850 Sádromodul		8595580559830	Pre-wall installation system for dry build up (plasterboard) with top or front actuation
AM118/1000 Sádromodul		8595580559823	Pre-wall installation system for dry build up (plasterboard) with top or front actuation
AM119/850 Renovmodul		8595580563387	Pre-wall installation system for building into solid walls with top or front actuation
AM119/1000 Renovmodul		8595580559847	Pre-wall installation system for building into solid walls with top or front actuation
APZ13-DOUBLE9-750 Fit and Go	1	8595580562724	Shower drain
APZ13-DOUBLE9-850 Fit and Go		8595580562731	Shower drain
APZ13-DOUBLE9-950 Fit and Go		8595580562748	Shower drain
M279S-SLIM		8595580563394	Flush plate Antivandal with sensor for pre-wall installation systems Slim, metal (AC power supply)
M370S-SLIM		8595580563417	Flush plate with sensor for pre-wall installation systems Slim, white (AC power supply)
M371S-SLIM	-	8595580563400	Flush plate with sensor for pre-wall installation systems Slim, chrome-polished (AC power supply)
M670	00	8595580562663	Flush plate for pre-wall installation systems, white



INDEX

Code	Picture	EAN	Description
M671	00	8595580562670	Flush plate for pre-wall installation systems, chrome-polished
M672	00	8595580562687	Flush plate for pre-wall installation systems, chrome-matt
M675	Oo	8595580562694	Flush plate for pre-wall installation systems, gold
M678	00	8595580562700	Flush plate for pre-wall installation systems, black-matt
M770	00	8595580562618	Flush plate for pre-wall installation systems, white/chrome-polished
M771	00	8595580562625	Flush plate for pre-wall installation systems, chrome-polished/chrome-matt
M772	.Oo	8595580562632	Flush plate for pre-wall installation systems, chrome-matt/chrome-polished
M775	Oo	8595580562649	Flush plate for pre-wall installation systems, white/gold
M778	00	8595580562656	Flush plate for pre-wall installation systems, black-matt/chrome-polished
NIGHT LIGHT-1-SLIM		8595580563448	Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black
NIGHT LIGHT-2-SLIM	**	8595580563431	Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black
NIGHT LIGHT-3-SLIM		8595580563424	Touch-free flush plate for pre-wall installation systems Slim – illuminated, glass-black



INDEX

P143 8595580562298 Combined odour trap for APZ-S6 for drain APZ13

P144 8595580562304 Combined odour trap for APZ-S9 for drain APZ13

P145 8595580562311 Combined odour trap for APZ-S12 for drain APZ13

P146 8595580562472 Template for correct flush plate setup

The ALCAPLAST team of specialists is always on hand to help with design, installation and quote project prices!

Czech product ISO 9001:2015







CZECH REPUBLIC

Alca plast, s. r. o.

Bratislavska 2846, 690 02 Breclav tel.: +420 519 821 117 – Sales Dept. CZ tel.: +420 519 821 041 – Export Dept.

fax: +420 519 821 083 alcaplast@alcaplast.com www.alcaplast.com